



| Bathtub  | Dimension        | Weight    | Order number   |
|--|------------------|-----------|----------------|
| Rectangular, Installation Type: drop-in, White, Material: Sanitary acrylic, Number of backrests: 1 Variable, Overflow: Yes, Drain orientation: Foot end, Left, Right, Overflow position: Foot end, Capacity gal: 25 gal, Internal Depth: 15 3/4 ", Height with Panel: 21 5/8 ", cUPC listed: Yes |                  |           |                |
| <b>Colors</b>  |                  |           |                |
| 00 White   |                  |           |                |
| <b>Variant</b>   |                  |           |                |
| Includes support frame   | 59 "x16 1/2 "    | 72.047 lb | 70009500000090 |
| Includes support frame   | 59 "x16 1/2 "    | 72.047 lb | 70009500000092 |
| <b>Suitable products</b>   |                  |           |                |
| Tile flange , 16 x 15 "  | 16 x 15 "        |           | 790112         |
| Waste and overflow Bowden cable length: 27 ", Diameter waste plug: 2 ", 15 3/4 x 3 1/8 "   | 15 3/4 x 3 1/8 " |           | 790220         |

**D-Code Bathtub # 700095000000090 / 700095000000092**

|< 59 " >|

|   |                  |        |
|---|------------------|--------|
| Bathtub anchors , 3 7/8 x 1 1/8 "   | 3 7/8 x 1 1/8 "  | 790125 |
| Front panel Scope of application: Inside, Includes support frame: No, White, Material: Sanitary acrylic, 59 x 1 5/8 " | 59 x 1 5/8 "     | 701039 |
| Support frame Height: 4 7/8 "-7 5/8 ", 28 x 3 "   | 28 x 3 "         | 790133 |
| Waste and overflow Bowden cable length: 22 1/8 ", 28 3/4 x 3 1/2 "  | 28 3/4 x 3 1/2 " | 792824 |
| Waste and overflow Bowden cable length: 21 ", 18 7/8 x 3/8 "  | 18 7/8 x 3/8 "   | 792820 |
| Waste and overflow Bowden cable length: 25 7/8 ", Diameter waste plug: 2 ", 15 3/4 x 3 1/8 "                          | 15 3/4 x 3 1/8 " | 791255 |

*All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inch & mm and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.*