

A line drawing of a rectangular cabinet. On top of the cabinet is a rectangular sink. The sink has a curved faucet on the right side. There are two circular holes on the left side of the sink, one above and one below the faucet. The cabinet has a thick top and a thick base. The front of the cabinet is shown with a thick vertical edge. The side of the cabinet is shown with a thick vertical edge. The back of the cabinet is shown with a thick vertical edge. The drawing is a simple line drawing with no shading.


NO.	Draw	QTY
A		4
B		4
C	 C1 C2	4




DRAWER REMOVAL & INSTALLATION

REMOVAL


1.Pull the drawer to find the lower rail accessories.



2.Pull the drawer out of the rear hook of the guide rail.




3.Finally pull out the drawer.




INSTALLTION


1.Pull the drawer rail, rail socket holes at the back of the drawer.




2.Align the drawer rear hole with the rear hook of the guide rail.



3.Push the drawer.



NO.	Draw	QTY
A		4
B		4
C	 C1 C2	4




A diagram showing a bolt and nut assembly. The bolt is labeled 'B' and has a threaded section. A nut is labeled 'C1' and is shown with a curved arrow indicating it is being tightened onto the bolt. A washer is labeled 'C2' and is shown between the nut and the bolt head.


DRAWER REMOVAL & INSTALLATION

REMOVAL


1.Pull the drawer to find the lower rail accessories.



2.Pull the drawer out of the rear hook of the guide rail.




3.Finally pull out the drawer.




INSTALLTION


1.Pull the drawer rail, rail socket holes at the back of the drawer.




2.Align the drawer rear hole with the rear hook of the guide rail.



3.Push the drawer.



Item No.: BOSTON - 48"




Hardware


NO.	Draw	QTY
A		4
B		4
C	 	4





Step 1




Step 2



Step 3




Finished




DRAWER REMOVAL & INSTALLATION

REMOVAL


1.Pull the drawer to find the lower rail accessories.



2.Pull the drawer out of the rear hook of the guide rail.




3.Finally pull out the drawer.




INSTALLTION

1.Pull the drawer rail, rail socket holes at the back of the drawer.



2.Align the drawer rear hole with the rear hook of the guide rail.



3.Push the drawer.

