# Purist® | K-24077

Beverage faucet

## Features

- Contemporary styling
- Integrated air gap offers reverse osmosis (RO) compatibility
- Right-side lever handle
- 8-3/8" (213 mm) spout height
- Faucet spout rotates 360° and offers clearance for filling glasses and pitchers
- 1.5 gpm (5.7 lpm) maximum flow rate at 60 psi (4.14 bar)
- Works with KOHLER® filtration systems or with other select filtration systems as a cold-water tap
- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance



## Sustainability

WATER-SAVING DESIGN

## Available Colors/Finishes

***Color tiles intended for reference only.***

| | | |
|---|---|---|
| | CP | Polished Chrome |
| | SN | Vibrant Polished Nickel |
| | AF | Vibrant French Gold |
| | VS | Vibrant Stainless |
| | BV | Vibrant Brushed Bronze |
| | BL | Matte Black |
| | 2MB | Vibrant Brushed Moderne Brass |
| | TT | Vibrant Titanium |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-24-2026 16:35 - US-CA

## Codes/Standards

***ADA, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA CSA B651

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651

## Technical Information

***All product dimensions are nominal.***

### Handle

| | |
|---|---|
| Handle Style/Type: | Lever |

### Spout

| | |
|---|---|
| Spout Reach: | 5-1/2" (140 mm) |

### Flow Rate

| | |
|---|---|
| Faucet Flow Rate: | 1.5 gpm (5.7 l/min) |

## Valves

| | |
|---|---|
| Included Valve: | Ceramic disc |

## Material

- Premium metal construction
- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

- K-23723 Faucet cleaner
- K-22155 Reverse osmosis (RO) water filtration system

## Optional Products/Accessories

- K-77686 Double-cartridge water filtration system
- K-29638 Two-stage water filtration system
- K-77685 Single-cartridge water filtration system

## Warranty


***See website for detailed warranty information.***

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-24-2026 16:35 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Single-hole installation

## Installation Notes

***Install this product according to the installation instructions.***

ADA compliant for faucet handles only
ADA, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-24-2026 16:35 - US-CA

THE BOLD LOOK OF KOHLER.