Aquifer® | K-34113

4-in-1 beverage system

Features

- Digital interface touchpad allows user to select between still, chilled, near-boiling, or sparkling water
- Reduces chlorine taste and odor
- Incompatible with reverse osmosis systems unless water has been re-mineralized
- Box includes: Undercounter beverage system, one filter
- Compatible with screw in type, 60-liter TR21-4 thread CO2 bottles (sold separately)
- Filter: Activated carbon



Available Colors/Finishes

Color tiles intended for reference only.

NA NA Not Applicable

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-29-2026 19:00 - US-CA

Codes/Standards

CSA B483.1
NSF/ANSI 42
NSF/ANSI/CAN 372
ENERGY STAR®
cUL Listed

Material

- High-impact plastic construction

Included Components

- K-34114 4-in-1 replacement filter (QTY 1)

Recommended Products/Accessories

- K-T30924 4-in-1 tall arc beverage faucet
- K-T30925 4-in-1 short arc beverage faucet
- 1606422 User Interface Extension Cable

Optional Products/Accessories

- K-30928 Grated drain

Required Electrical Service

One dedicated circuit required, protected with Class A Ground-Fault Circuit-Interrupter (GFCI). Outside North America, this device may be known as a Residual Current Device (RCD).

Outlet:	120 V, 10 A, 60 Hz

Electrical Component Ratings

Power Cord Length:	63" (1600 mm)
Outlet:	120 V, 10 A, 60 Hz


Warranty

See website for detailed warranty information.

KOHLER® Water Filter Systems Five-Year Limited Warranty

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-29-2026 19:00 - US-CA

THE BOLD LOOK OF KOHLER®



Installation

- Undercounter
- Quarter-turn twist cartridge for easy installation and replacement

Installation Notes

Install this product according to the installation instructions.

2-3/8" (60 mm) required behind machine for proper ventilation.
Ventilation hole cutout template included with machine.

1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-29-2026 19:00 - US-CA

THE BOLD LOOK OF KOHLER