

AZEA 3260 IFS AFR

59 3/4" x 31 7/8" x 20 1/8" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	Left Drain	60 x 32	Activ-Air
	Right Drain		Soaker - no system
			Whirlpool
			Whirlpool & Activ-Air

FEATURES


- Acrylic surface resistant to stains
- Alcove installation
- Leveling legs for an easy installation
- Above-the-floor rough (AFR) so pipes can be routed without breaking ground or relocating the drain
- Skirt height: 19.75 in.
- Standard round drain
- Integrated tiling flange for added leak protection
- Available in left-hand or right-hand drain configuration

ATTRIBUTES

- Installation Type : Alcove
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year



59 3/4" x 31 7/8" x 20 1/8" Bathtub




Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.

DIMENSIONS


PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
59 3/4"	46 7/8"	31 7/8"	20 3/4"	20 1/8"
DEEP SUMP HEIGHT	DECK WIDTH	SKIRT HEIGHT	DRAIN SIZE	DRAIN CLEARANCE
12 5/8"	3 1/8"	20 1/8"	2"	3"

SYSTEMS




Whirlpool left drain Whirlpool right drain

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.



Whirlpool/Activ-Air combo left drain Whirlpool/Activ-Air combo right drain

Included: 6 round jets, 30 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.



Activ-Air left drain Activ-Air right drain

Included: 32 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: