

ZENYA 6032 AFR

60" x 32" x 19 3/4" Bathtub



OPTIONS

COLOR(S)	CONFIGURATION(S)	SIZE(S)	SYSTEM(S)
White	End Drain	60 x 32	Activ-Air Soaker - no system Whirlpool Whirlpool & Activ-Air


FEATURES

- High gloss finish is resistant to dulling, scratching and fading
- Comes with leveling legs for ease of installation
- Drop-In installation
- Thermoformed acrylic reinforced with fiberglass for a durable bathtub
- Available with massage systems for outmost relaxation
- Above-the-floor rough (AFR) facilitates plumbing installation without relocating the existing drain
- End drain configuration
- 10-year limited warranty provides peace of mind
- Water capacity of 62 US gallons

ATTRIBUTES

- Installation Type : Drop-In
- Above-the-Floor Rough : Yes
- Material : Acrylic
- Residential Warranty : 25
- Commercial Warranty : 1 Year




60" x 32" x 19 3/4" Bathtub


Wood support design may vary.
All dimensions are approximate.
Structure measurements must be verified
against the unit to ensure proper fit.


DIMENSIONS

PRODUCT LENGTH	BATHING WELL LENGTH	PRODUCT WIDTH	BATHING WELL WIDTH	PRODUCT HEIGHT
60"	46 5/8"	32"	19 7/8"	19 3/4"
DEEP SUMP HEIGHT	DECK WIDTH	WEIGHT	DRAIN CLEARANCE	SHIPPING LENGTH
12 5/8"	3 1/8"	60 Lbs	3"	63 1/4"
SHIPPING WIDTH	SHIPPING HEIGHT			
33 1/2"	20 1/4"			




Whirlpool/Activ-Air combo

Included: 6 round jets, 30 Activ-Air micro-jets, two air controls, one 7.5 A pump, one blower with heating element (200 W) and two pneumatic controls.



Whirlpool

Included: 6 round jets, two air controls, one 7.5 A pump and one pneumatic control.



Activ-Air

Included: 32 Activ-Air micro-jets, one blower with heating element (200 W) and one pneumatic control.

Project:

Contractor:

Representative:

Date:

Tel:

Notes: